

Tianmashi

Electronic Co., Ltd

Professional SMT PCBA service provider

China, Guangdong, shenzhen, shajing Henggangxia street #24



Company profile **Product Show** Packaging Show Label Show

Company introduce >>>

Tianmashi has been involved in providing solutions to the industrial manufacturing. Over the years, the infra-structure has been developing to meet the professional aspects of all electronics manufacturing.

Our Co-founder & engineering team have at least 10 years of trading in electronics components and industrial manufacturing experience, some have worked in big OEM company such as FOXCONN, Flextronics, Huawei, HP, Dell manufacturing site, fully understand about equipment, process development, Quality control. We can provide customer service from component/PCB purchase, SMT manufacturing, PCBA assembly service. Packaging / shipment all-in-one-stop service;

Company Motto

Brave to bear responsibility, keep promise, Whole-hearted service, sincere cooperation!

Management tenet

Honesty bear responsibility, customer first, to the quality strives for the survival, Earnest practical, innovative development, economic efficiency and to the management.

Business philosophy:

Attentively, concentrate, elaborate, client safely.; Sincerity and cordiality, his thoughts, customer satisfaction.

Management aim:

Strengthen internal management, not stick to one pattern with talents, Preemptive high-end market, the strong expansion into new areas.

Operation policy

Honesty and trustworthiness, practical work, let employees gratified, Let the consumer trust, let customer satisfaction, sharing "3 win".

Company introduce >>>

History:

Tianmashi company was founded in 2012,2

Main Product:

Lighting for In Door & out door(PCBA & module assemble), Robot cleaner mainboard, display card, bluetooth board and so on

Assembly lines:

such as Japanese panasonic CM 402, DT 401, DT 301.

Area:

covers an area of 1 acres 5,000 square meters

Organization >>>

Mr. Kang

owner and president *China Fujian XiaMen*

Tianmashi Operation Team

Corporate Headquarters (Shen Zhen)

Mr. Jinbiao Wang

Co-founder
Chief Operating Officer
China Guangdong Shenzhen

Mr. jamin.liu

Co-founder
Director, Marketing
China Guangdong Shenzhen

Marketing / CS

Before Sample Build Window contact for customer Customer information update BOM Cost Checking New Project Kick-off Checklist Specification version check After Sample Submission Customer Release Notice PE

Before Sample Build Specification Review/Compare BOM, MFG Test Strategy, Jig/Fixture, assembly drawing Gerber / Stencil, packaging, Control plan, PFMEA, ECN, SOP

After sample submission Trial run report;

QA

Before Sample Build Compile control plan Reliability test plan ROHS /WEEE Outgoing inspection procedure PMC/Manufacturing line

Before Sample Build Mat's requirement Sample build planning Shipment

After sample submission Mat's actual usage report;


Purchasing

Before Sample Build Sourcing & purchasing Material delivery status report Data sheet ROHS report


















experienced in PCB supply chain, thermal know how















experienced in SMT manufacturing













experienced in Box build (assemble)

Company Photo >>>









Out side view

Out side view

Entrance outside

Entrance in side

Company Photo >>>









The reception desk

passageway

workshop entrance

passageway

Production Equipment >>>>



SMT line



SMT line



SMT line



SMT line

Production Capacity >>>>





Panasonic CM 402

patch speed: 0.06sec/chip (up to 60, 000cph)

Patch precision: $\pm 0.03^{\circ} \pm 0.005$ mm

PCB size: max:510X460mm,min:50X50mm

element size: 0603mm-50X50mm

Panasonic DT301

patch speed: 0.7sec/chip

Patch precision: $\pm 0.03^{\circ} \pm 0.005$ mm

PCB size: max:510X460mm,min:50X50mm element size: 1005mm-100X90mmX25mm

Multifunction high speed mounter for

Advantage Have three auto SMT line

the super high speed mounter help us with Fewer operator but production efficiency is Is very high, the machine also very stable So product quality also can control very well;

DIP Workshop >>>





- 1, DIP line
- 2 Welding Line
- 3. Lead-free soldering



Assembly Line >>>







Assemble Line

For PCBA post process such as:

- 1. De-panel
- 2. Function test
- 3. Manually soldering if needed
- 4. Conformal coating glue dispense
- 5. Visual inspection
- 6. Packaging
- 7. Out going inspection
- 8. Box build (finish good assembly)
- 9. PCBA programming & function test

End-Customer list

PHILIPS

























Company Location >>>



Contact Info:

Name : jamin.liu Title : Marketing manager


We chat : jamin757 Skype : jamin757@tianmashi.cn

China, Guangdong, shenzhen, shajing Henggangxia street #24






OPTOGA FR4 PCB



OPTOGA FR4 PCB



Philips High flood MCPCB







OPTOGA dimming light controller

Philips FR4 PCB






OPTOGA MC PCB



Philips FR4 PCB



OPTOGA MC PCB



OPTOGA MC PCB



OPTOGA MC PCB




Philips MC PCB






Philips
Consumer lighting
Use cheap solution
PCB CEM-3
Road lighting use
FR4 PCB and MCPCB;




















For lighting project:

Most of our customer are leading role of Lighting industry such as Philips, OPTOGA Osram and so on, we provide PCBA to them with good quality & high efficiency & competitive Price;

Product Show >>>>








Philips FR4 PCB



Philips FR4 PCB



For Consumer Electronic project: we also experienced in complex PCBA service;






Desk lamp introduction >>>







The three type desktop light is manufactured & assembled by our factory, if you think it is good for your market, you can load PO to us directly buy from us;



Dual USB charging port
Bottom of the lamp provide 2 USB charging port, while you are sleeping it can charging your phone or tablet.

Roome
First gesture controlled smart lamp



Mobile phone remote control
Both at home and away from home, you can use Roome APP
to control your lamp, And can delay the timing switch to turn
off the lights, and other personalized functions set





3D gesture control

Built in close range gesture sensing technology, Rapid induction gesture, just waved hand on the top of the lamp can Switch on/off it, Moving hand up and down can adjust the light brightness;




Stable light source, scientific eye protection

The Lamp With no flicker LED stable light source, suitable for read and write and scientific eyesight protection;

Roome

First gesture controlled smart lamp







Motion sensor

Built in motion sensor, when you get up at night,
It will light up automatic, Reduce the risk of falls at night.
When lamp detect nobody in room, it will auto switch off;
When people get in the room, it detect someone in room will auto switch on;

Professional speakers, to create a beautiful sound

The speaker unit uses high magnetic properties of Ru Fe B to enhance the speaker sensitivity, Using the 16 core KSV coil, 250Hz-20KHz super wild tone range, Quality equilibrium, stability, have Perfect clear sound;

intelligent music desk lamp







Power input: DC 100V-240V Power output: DC 12V 3A

Lighting charger output: 5V 2.4 A

USB charger output : 5V 2.1 A





Speaker power: 5W

frequency response: 120Hz—18KHz

Impedance :8Ω;

passive radiator

Plug : AC adapter

Output interface : lighting port, USB port





Packaging Show

Packaging Show >>>>

















Label Show

Inner Box label >>>>



CUSTOMER		OPULENT			
CUSTOMER	PART NUMBER PART NUMBER PART NUMBER				
QUANTITY	DATE CODE		MODEL	DESC.:	
	FDACTIF! HAN	DIE WI	ти С7	ADE I	

Inner Box label

FRAGILE!



108m CUSTOMER PO #refer to customerpulent PO # refer to PO, PMC or CS Opulent PO, PMC or CS to provide provide customer CUSTOMER PART NUMBER NUMBER refer to BOM or Opulent MODEL DESC.: (year + packing work week) log card MADE customer (binning || || || || model's program.. BUNDLE ID: CHINA description. Exp: CITYSOUL

HANDLE

WITH

7 6mm

Outer box Baby label >>>





Outer box mother Label >>>





